Civil Engineering Database Subject Heading Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1970. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2009 from a CEDB subject heading list. The CEDB and subject heading list can be accessed on the Web at *http://cedb.asce.org/*.

Adhesives

Simplified Impedance Model for Adhesively Bonded Piezo-Impedance Transducers — Suresh Bhalla, Praveen Kumar, Ashok Gupta, and Tushar K. Datta; 22 (4), 373-82 (2009).

Aerodynamics

Design of a Static Thruster for Microair Vehicle Rotorcraft — Paul E. I. Pounds, Robert E. Mahony, and Peter I. Corke; 22 (1), 85-94 (2009).

Membrane Micro Air Vehicles with Adaptive Aerodynamic Twist: Numerical Modeling — Bret Stanford and Peter Ifju; 22 (2), 173-84 (2009).

Oscillation Susceptibility Analysis along the Path of the Longitudinal Flight Equilibriums in ADMIRE Model — Stefan Balint, Agneta M. Balint, and Achim Ioniță; 22 (4), 423-33 (2009).

Aeroelasticity

Analytical Solution of the Possio Integral Equation for the Sonic Case — A. V. Balakrishnan; 22 (4), 434-7 (2009).

Comprehensive Modeling of Shape Memory Alloy Material Response Using a Multimechanism-Based Inelastic Model — Atef F. Saleeb and Abhimanyu Kumar; 22 (4), 438-44 (2009).

Aerospace engineering

Relative Periodic Motion of a Rigid Body Pendulum on an Ellipse — A. I. Ismail; 22 (1), 67-77 (2009).

Autopilot for Reconfigurable Flight Control System — M. Zugaj and J. Narkiewicz; 22 (1), 78-84 (2009).

Overview of the National Aeronautics and Space Administration Subsonic Rotary Wing Aeronautics Research Program in Rotorcraft Crashworthiness — Karen E. Jackson, Yvonne T. Fuchs, and Sotiris Kellas; 22 (3), 229-39 (2009).

Methodology for Impact Modeling of Triaxial Braided Composites Using Shell Elements — Xuetao Li, Wieslaw K. Binienda, and Justin D. Littell; 22 (3), 310-7 (2009).

Computer Modeling for the Complex Response Analysis of Nonstandard Structural Dynamics Problems — Abhimanyu Kumar and Atef F. Saleeb; 22 (3), 324-30 (2009).

Thermal Buckling Analysis of SMA Fiber-Reinforced Composite Plates Using Layerwise Model — S. K. Kumar and B. N. Singh; 22 (4), 342-53 (2009).

Investigation of the Influence of Pseudoinverse Matrix Calculations on Multibody Dynamics Simulations by Means of the Udwadia-Kalaba Formulation — D. de Falco, E. Pennestrì, and L. Vita; 22 (4), 365-72 (2009).

Simplified Impedance Model for Adhesively Bonded Piezo-Impedance Transducers — Suresh Bhalla, Praveen Kumar, Ashok Gupta, and Tushar K. Datta; 22 (4), 373-82 (2009).

Application of Optical Measurement Techniques to Supersonic and Hypersonic Aerospace Flows — David Estruch, Nicholas J. Lawson, and Kevin P. Garry; 22 (4), 383-95 (2009).

Assignment of Geometrical and Physical Parameters for the Confinement of Vibrations in Flexible Structures — W. Gafsi, S. Choura, and A. Nayfeh; 22 (4), 403-14 (2009).

Continuum Modeling and Discrete Element Simulations of Elastic-Quasi-Static Granular Flow in a Compressing Slot — B. T. Helenbrook, M. Powers, H. H. Shen, and P. T. Metzger; 22 (4), 415-22 (2009).

Oscillation Susceptibility Analysis along the Path of the Longitudinal Flight Equilibriums in ADMIRE Model — Stefan Balint, Agneta M. Balint, and Achim Ioniță; 22 (4), 423-33 (2009).

Analytical Solution of the Possio Integral Equation for the Sonic Case — A. V. Balakrishnan; 22 (4), 434-7 (2009).

Comprehensive Modeling of Shape Memory Alloy Material Response Using a Multimechanism-Based Inelastic Model — Atef F. Saleeb and Abhimanyu Kumar; 22 (4), 438-44 (2009).

Asymptotic Approach to Free Beam Vibration Analysis — G. V. Kostin and V. V. Saurin; 22 (4), 456-9 (2009).

Near-Earth Object Threat Mitigation Using a Tethered Ballast Mass — David B. French and Andre P. Mazzoleni; 22 (4), 460-5 (2009).

Nondetection, False Alarm, and Calibration Insensitivity in Kurtosis- and Pseudofractal-Based Singularity Detection — Vikram Pakrashi, Biswajit Basu, and Alan O'Connor; 22 (4), 466-70 (2009).

Aircraft

Autopilot for Reconfigurable Flight Control System — M. Zugaj and J. Narkiewicz; 22 (1), 78-84 (2009).

Ballistic Impact Response of Kevlar 49 and Zylon under Conditions Representing Jet Engine Fan Containment — J. Michael Pereira and Duane M. Revilock; 22 (3), 240-8 (2009).

Explicit Finite-Element Analysis of 2024-T3/T351 Aluminum Material under Impact Loading for Airplane Engine Containment and Fragment Shielding — Murat Buyuk, Steve Kan, and Matti J. Loikkanen; 22 (3), 287-95 (2009).

Semianalytical Solution of Wave-Controlled Impact on Composite Laminates — D. Zheng and W. K. Binienda; 22 (3), 318-23 (2009).

Real-Time Optimized Trajectory Planning for a Fixed-Wing Vehicle Flying in a Dynamic Environment — Jian Yang, Zhihua Qu, Jing Wang, and Richard A. Hull; 22 (4), 331-41 (2009).

Algorithms

Optimal Layout Design of a Satellite Module Using a Coevolutionary Method with Heuristic Rules — Jun-Zhou Huo and Hong-Fei Teng; 22 (2), 101-11 (2009).

Rendezvous Guidance Trajectories via Multiple-Subarc Sequential Gradient-Restoration Algorithm — A. Miele, M. Ciarcià, and M. W. Weeks; 22 (2), 160-72 (2009).

Aluminum

Finite-Element Analysis of the Influence of Edge Geometry on Shot Peening Process — Jifeng Xu and William J. Koch; 22 (2), 153-9 (2009).

Finite-Element Analysis of Lamb Wave Propagation in a Thin Aluminum Plate — SeJin Han, Anthony N. Palazotto, and Charles L. Leakeas; 22 (2), 185-97 (2009).

Anisotropy

Model for Granular Materials with Surface Energy Forces — C. S. Chang and P.-Y. Hicher; 22 (1), 43-52 (2009).

Beams

Asymptotic Approach to Free Beam Vibration Analysis — G. V. Kostin and V. V. Saurin; 22 (4), 456-9 (2009).

Bifurcation

Oscillation Susceptibility Analysis along the Path of the Longitudinal Flight Equilibriums in ADMIRE Model — Stefan Balint, Agneta M. Balint, and Achim Ioniță; 22 (4), 423-33 (2009).

Bonding

Simplified Impedance Model for Adhesively Bonded Piezo-Impedance Transducers — Suresh Bhalla, Praveen Kumar, Ashok Gupta, and Tushar K. Datta; 22 (4), 373-82 (2009).

Bridges

Computer Modeling for the Complex Response Analysis of Nonstandard Structural Dynamics Problems — Abhimanyu Kumar and Atef F. Saleeb; 22 (3), 324-30 (2009).

Brittleness

Statistical Damage Constitutive Model of Quasi-Brittle Materials — Tiantang Yu; 22 (1), 95-100 (2009).

Buckling
Thermal Buckling Analysis of SMA Fiber-Reinforced Composite Plates Using Layerwise Model — S. K. Kumar and B. N. Singh; 22 (4), 342-53 (2009).

Calibration
Nondetection, False Alarm, and Calibration Insensitivity in Kurtosis- and Pseudofractal-Based Singularity Detection — Vikram Pakrashi, Biswajit Basu, and Alan O'Connor; 22 (4), 466-70 (2009).

Case reports
Case Study: Planar Kinematics of Dragline for Efficient Machine Control — Samuel Frimpong and Nuray Demirel; 22 (2), 112-22 (2009).

Collision
Real-Time Optimized Trajectory Planning for a Fixed-Wing Vehicle Flying in a Dynamic Environment — Jian Yang, Zhihua Qu, Jing Wang, and Richard A. Hull; 22 (4), 331-41 (2009).

Composite materials
Characterization of Damage in Triaxial Braided Composites under Tensile Loading — Justin D. Littell, Wieslaw K. Binienda, Gary D. Roberts, and Robert K. Goldberg; 22 (3), 270-9 (2009).

Numerical Implementation of Polymer Viscoplastic Equations for High Strain-Rate Composite Models — Pablo A. Salas, David J. Benson, Satchi Venkataraman, and Matti J. Loikkanen; 22 (3), 304-9 (2009).

Methodology for Impact Modeling of Triaxial Braided Composites Using Shell Elements — Xuetao Li, Wieslaw K. Binienda, and Justin D. Littell; 22 (3), 310-7 (2009).

Semianalytical Solution of Wave-Controlled Impact on Composite Laminates — D. Zheng and W. K. Binienda; 22 (3), 318-23 (2009).

Conceptual Design of Unpressurized Shelters on Lunar Surface — Vinay Dayal; 22 (4), 396-402 (2009).

Compression
Continuum Modeling and Discrete Element Simulations of Elastic-Quasi-Static Granular Flow in a Compressing Slot — B. T. Helenbrook, M. Powers, H. H. Shen, and P. T. Metzger; 22 (4), 415-22 (2009).

Computation
Computational Methodology for Modeling Fracture in Fiber-Reinforced Polymer Composites — A. A. Benzerga, X. Poulain, K. A. Chowdhury, and R. Talreja; 22 (3), 296-303 (2009).

Computational Technique to Assess Warhead Lethality against Ballistic Missile — Octavio Melchor-Lucero and Cesar J. Carrasco; 22 (4), 354-64 (2009).

Investigation of the Influence of Pseudoinverse Matrix Calculations on Multibody Dynamics Simulations by Means of the Udwadia-Kalaba Formulation — D. de Falco, E. Pennestrì, and L. Vita; 22 (4), 365-72 (2009).

Computer aided simulation
Case Study: Planar Kinematics of Dragline for Efficient Machine Control — Samuel Frimpong and Nuray Demirel; 22 (2), 112-22 (2009).

Computer analysis
Near-Earth Object Threat Mitigation Using a Tethered Ballast Mass — David B. French and Andre P. Mazzoleni; 22 (4), 460-5 (2009).

Computer models
Computer Modeling for the Complex Response Analysis of Nonstandard Structural Dynamics Problems — Abhimanyu Kumar and Atef F. Saleeb; 22 (3), 324-30 (2009).

Conceptual design
Conceptual Design of Unpressurized Shelters on Lunar Surface — Vinay Dayal; 22 (4), 396-402 (2009).

Confinement
Assignment of Geometrical and Physical Parameters for the Confinement of Vibrations in Flexible Structures — W. Gafsi, S. Choura, and A. Nayfeh; 22 (4), 403-14 (2009).

Constitutive models
Statistical Damage Constitutive Model of Quasi-Brittle Materials — Tiantang Yu; 22 (1), 95-100 (2009).

Development of Fabric Constitutive Behavior for Use in Modeling Engine Fan Blade-Out Events — S. Bansal, B. Mobasher, S. D. Rajan, and I. Vintilescu; 22 (3), 249-59 (2009).

Containment
Ballistic Impact Response of Kevlar 49 and Zylon under Conditions Representing Jet Engine Fan Containment — J. Michael Pereira and Duane M. Revilock; 22 (3), 240-8 (2009).

Dynamic Loads in the Fan Containment Structure of a Turbofan Engine — Sunil K. Sinha and Sreekanth Dorbala; 22 (3), 260-9 (2009).

Control
Real-Time Optimized Trajectory Planning for a Fixed-Wing Vehicle Flying in a Dynamic Environment — Jian Yang, Zhihua Qu, Jing Wang, and Richard A. Hull; 22 (4), 331-41 (2009).

Control systems
Trajectory Analysis for Vertical Takeoff and Vertical Landing Reusable Launch Vehicle's Upper Stage — Yunjun Xu; 22 (1), 58-66 (2009).

Autopilot for Reconfigurable Flight Control System — M. Zugaj and J. Narkiewicz; 22 (1), 78-84 (2009).

Robust Backstepping Sliding Mode Attitude Tracking and Vibration Damping of Flexible Spacecraft with Actuator Dynamics — Qinglei Hu, Jun Cao, and Yizhuo Zhang; 22 (2), 139-52 (2009).

Cracking
Computational Methodology for Modeling Fracture in Fiber-Reinforced Polymer Composites — A. A. Benzerga, X. Poulain, K. A. Chowdhury, and R. Talreja; 22 (3), 296-303 (2009).

Nondetection, False Alarm, and Calibration Insensitivity in Kurtosis- and Pseudofractal-Based Singularity Detection — Vikram Pakrashi, Biswajit Basu, and Alan O'Connor; 22 (4), 466-70 (2009).

Damage
Statistical Damage Constitutive Model of Quasi-Brittle Materials — Tiantang Yu; 22 (1), 95-100 (2009).

Characterization of Damage in Triaxial Braided Composites under Tensile Loading — Justin D. Littell, Wieslaw K. Binienda, Gary D. Roberts, and Robert K. Goldberg; 22 (3), 270-9 (2009).

Computational Technique to Assess Warhead Lethality against Ballistic Missile — Octavio Melchor-Lucero and Cesar J. Carrasco; 22 (4), 354-64 (2009).

Debris
Shuttle Debris Impact Analysis: Postreturn to Flight Real-Time Mission Support — Jason L. Firko, Jeremie J. Albert, Timothy J. Lee, Alexander M. Boyer, Jonathan W. Gabrys, and Kelly S. Carney; 22 (3), 222-8 (2009).

Deformation
Stochastic Modeling of Load-Induced Settlement in Loose Granular Materials — Philippe L. Bourdeau; 22 (1), 33-42 (2009).

Design
Optimal Layout Design of a Satellite Module Using a Coevolutionary Method with Heuristic Rules — Jun-Zhou Huo and Hong-Fei Teng; 22 (2), 101-11 (2009).

Discrete elements
3D Shape Characterization and Image-Based DEM Simulation of the Lunar Soil Simulant FJS-1 — Takashi Matsushima, Jun Katagiri, Kentaro Uesugi, Akira Tsuchiyama, and Tsukaka Nakano; 22 (1), 15-23 (2009).

Continuum Modeling and Discrete Element Simulations of Elastic-Quasi-Static Granular Flow in a Compressing Slot — B. T. Helenbrook, M. Powers, H. H. Shen, and P. T. Metzger; 22 (4), 415-22 (2009).

Displacement
Asymptotic Approach to Free Beam Vibration Analysis — G. V. Kostin and V. V. Saurin; 22 (4), 456-9 (2009).

Dust
Lunar Dust Levitation — Joshua E. Colwell, Scott R. Robertson, Mihály Horányi, Xu Wang, Andrew Poppe, and Patrick Wheeler; 22 (1), 2-9 (2009).

Dynamic loads
Case Study: Planar Kinematics of Dragline for Efficient Machine Control — Samuel Frimpong and Nuray Demirel; 22 (2), 112-22 (2009).

Dynamic Loads in the Fan Containment Structure of a Turbofan Engine — Sunil K. Sinha and Sreekanth Dorbala; 22 (3), 260-9 (2009).

Dynamic response
Design of a Static Thruster for Microair Vehicle Rotorcraft — Paul E. I. Pounds, Robert E. Mahony, and Peter I. Corke; 22 (1), 85-94 (2009).

Dynamics
Trajectory Analysis for Vertical Takeoff and Vertical Landing Reusable Launch Vehicle's Upper Stage — Yunjun Xu; 22 (1), 58-66 (2009).

Model and Control of Flexible Multibody Satellite — Shunli Li; 22 (2), 134-8 (2009).

Edge effects
Finite-Element Analysis of the Influence of Edge Geometry on Shot Peening Process — Jifeng Xu and William J. Koch; 22 (2), 153-9 (2009).

Eigenvalues
Assignment of Geometrical and Physical Parameters for the Confinement of Vibrations in Flexible Structures — W. Gafsi, S. Choura, and A.

Nayfeh; 22 (4), 403-14 (2009).

Elastic analysis
Continuum Modeling and Discrete Element Simulations of Elastic-Quasi-Static Granular Flow in a Compressing Slot — B. T. Helenbrook, M. Powers, H. H. Shen, and P. T. Metzger; 22 (4), 415-22 (2009).

Elasticity
Simplified Impedance Model for Adhesively Bonded Piezo-Impedance Transducers — Suresh Bhalla, Praveen Kumar, Ashok Gupta, and Tushar K. Datta; 22 (4), 373-82 (2009).

Asymptotic Approach to Free Beam Vibration Analysis — G. V. Kostin and V. V. Saurin; 22 (4), 456-9 (2009).

Elastoplasticity
Model for Granular Materials with Surface Energy Forces — C. S. Chang and P.-Y. Hicher; 22 (1), 43-52 (2009).

Computational Methodology for Modeling Fracture in Fiber-Reinforced Polymer Composites — A. A. Benzerga, X. Poulain, K. A. Chowdhury, and R. Talreja; 22 (3), 296-303 (2009).

Engines
Ballistic Impact Response of Kevlar 49 and Zylon under Conditions Representing Jet Engine Fan Containment — J. Michael Pereira and Duane M. Revilock; 22 (3), 240-8 (2009).

Dynamic Loads in the Fan Containment Structure of a Turbofan Engine — Sunil K. Sinha and Sreekanth Dorbala; 22 (3), 260-9 (2009).

Explicit Finite-Element Analysis of 2024-T3/T351 Aluminum Material under Impact Loading for Airplane Engine Containment and Fragment Shielding — Murat Buyuk, Steve Kan, and Matti J. Loikkanen; 22 (3), 287-95 (2009).

Semianalytical Solution of Wave-Controlled Impact on Composite Laminates — D. Zheng and W. K. Binienda; 22 (3), 318-23 (2009).

Epoxy resins
Characterization of Damage in Triaxial Braided Composites under Tensile Loading — Justin D. Littell, Wieslaw K. Binienda, Gary D. Roberts, and Robert K. Goldberg; 22 (3), 270-9 (2009).

Equilibrium
Oscillation Susceptibility Analysis along the Path of the Longitudinal Flight Equilibriums in ADMIRE Model — Stefan Balint, Agneta M. Balint, and Achim Ioniță; 22 (4), 423-33 (2009).

Excavation
Case Study: Planar Kinematics of Dragline for Efficient Machine Control — Samuel Frimpong and Nuray Demirel; 22 (2), 112-22 (2009).

Experimentation
Structural Design Considerations of an Inflatable Rigidizable Space Shuttle Experiment — Raymond G. Holstein, Anthony N. Palazotto, and Richard G. Cobb; 22 (2), 123-33 (2009).

Application of Optical Measurement Techniques to Supersonic and Hypersonic Aerospace Flows — David Estruch, Nicholas J. Lawson, and Kevin P. Garry; 22 (4), 383-95 (2009).

Fabrics
Development of Fabric Constitutive Behavior for Use in Modeling Engine Fan Blade-Out Events — S. Bansal, B. Mobasher, S. D. Rajan, and I. Vintilescu; 22 (3), 249-59 (2009).

Failures
Statistical Damage Constitutive Model of Quasi-Brittle Materials — Tiantang Yu; 22 (1), 95-100 (2009).

Fans
Dynamic Loads in the Fan Containment Structure of a Turbofan Engine — Sunil K. Sinha and Sreekanth Dorbala; 22 (3), 260-9 (2009).

Fiber reinforced materials
Thermal Buckling Analysis of SMA Fiber-Reinforced Composite Plates Using Layerwise Model — S. K. Kumar and B. N. Singh; 22 (4), 342-53 (2009).

Fiber reinforced polymers
Computational Methodology for Modeling Fracture in Fiber-Reinforced Polymer Composites — A. A. Benzerga, X. Poulain, K. A. Chowdhury, and R. Talreja; 22 (3), 296-303 (2009).

Finite element method
Finite-Element Analysis of the Influence of Edge Geometry on Shot Peening Process — Jifeng Xu and William J. Koch; 22 (2), 153-9 (2009).

Finite-Element Analysis of Lamb Wave Propagation in a Thin Aluminum Plate — SeJin Han, Anthony N. Palazotto, and Charles L. Leakeas; 22 (2), 185-97 (2009).

Development of Fabric Constitutive Behavior for Use in Modeling Engine Fan Blade-Out Events — S. Bansal, B. Mobasher, S. D. Rajan, and I. Vintilescu; 22 (3), 249-59 (2009).

Explicit Finite-Element Analysis of 2024-T3/T351 Aluminum Material under Impact Loading for Airplane Engine Containment and Fragment Shielding — Murat Buyuk, Steve Kan, and Matti J. Loikkanen; 22 (3), 287-95 (2009).

Thermal Buckling Analysis of SMA Fiber-Reinforced Composite Plates Using Layerwise Model — S. K. Kumar and B. N. Singh; 22 (4), 342-53 (2009).

Flow measurement
Application of Optical Measurement Techniques to Supersonic and Hypersonic Aerospace Flows — David Estruch, Nicholas J. Lawson, and Kevin P. Garry; 22 (4), 383-95 (2009).

Fluid dynamics
Jet-Induced Cratering of a Granular Surface with Application to Lunar Spaceports — Philip T. Metzger, Christopher D. Immer, Carly M. Donahue, Bruce T. Vu, Robert C. Latta, and Matthew Deyo-Svendsen; 22 (1), 24-32 (2009).

Fluid mechanics
Application of Optical Measurement Techniques to Supersonic and Hypersonic Aerospace Flows — David Estruch, Nicholas J. Lawson, and Kevin P. Garry; 22 (4), 383-95 (2009).

Fluidization
Jet-Induced Cratering of a Granular Surface with Application to Lunar Spaceports — Philip T. Metzger, Christopher D. Immer, Carly M. Donahue, Bruce T. Vu, Robert C. Latta, and Matthew Deyo-Svendsen; 22 (1), 24-32 (2009).

Gradient
Rendezvous Guidance Trajectories via Multiple-Subarc Sequential Gradient-Restoration Algorithm — A. Miele, M. Ciarcià, and M. W. Weeks; 22 (2), 160-72 (2009).

Granular materials
3D Shape Characterization and Image-Based DEM Simulation of the Lunar Soil Simulant FJS-1 — Takashi Matsushima, Jun Katagiri, Kentaro Uesugi, Akira Tsuchiyama, and Tsukaka Nakano; 22 (1), 15-23 (2009).

Stochastic Modeling of Load-Induced Settlement in Loose Granular Materials — Philippe L. Bourdeau; 22 (1), 33-42 (2009).

Model for Granular Materials with Surface Energy Forces — C. S. Chang and P.-Y. Hicher; 22 (1), 43-52 (2009).

Continuum Modeling and Discrete Element Simulations of Elastic-Quasi-Static Granular Flow in a Compressing Slot — B. T. Helenbrook, M. Powers, H. H. Shen, and P. T. Metzger; 22 (4), 415-22 (2009).

Gravity
Two-Dimensional Simulation of the Angle of Repose for a Particle System with Electrostatic Charge under Lunar and Earth Gravity — Shunying Ji and Hayley H. Shen; 22 (1), 10-4 (2009).

Identification
Nondetection, False Alarm, and Calibration Insensitivity in Kurtosis- and Pseudofractal-Based Singularity Detection — Vikram Pakrashi, Biswajit Basu, and Alan O'Connor; 22 (4), 466-70 (2009).

Imaging techniques
Characterization of Damage in Triaxial Braided Composites under Tensile Loading — Justin D. Littell, Wieslaw K. Binienda, Gary D. Roberts, and Robert K. Goldberg; 22 (3), 270-9 (2009).

Impact
Shuttle Debris Impact Analysis: Postreturn to Flight Real-Time Mission Support — Jason L. Firko, Jeremie J. Albert, Timothy J. Lee, Alexander M. Boyer, Jonathan W. Gabrys, and Kelly S. Carney; 22 (3), 222-8 (2009).

Ballistic Impact Response of Kevlar 49 and Zylon under Conditions Representing Jet Engine Fan Containment — J. Michael Pereira and Duane M. Revilock; 22 (3), 240-8 (2009).

Explicit Finite-Element Analysis of 2024-T3/T351 Aluminum Material under Impact Loading for Airplane Engine Containment and Fragment Shielding — Murat Buyuk, Steve Kan, and Matti J. Loikkanen; 22 (3), 287-95 (2009).

Methodology for Impact Modeling of Triaxial Braided Composites Using Shell Elements — Xuetao Li, Wieslaw K. Binienda, and Justin D. Littell; 22 (3), 310-7 (2009).

Semianalytical Solution of Wave-Controlled Impact on Composite Laminates — D. Zheng and W. K. Binienda; 22 (3), 318-23 (2009).

Impact loads
Finite-Element Analysis of the Influence of Edge Geometry on Shot Peening Process — Jifeng Xu and William J. Koch; 22 (2), 153-9 (2009).

Incremental loads
Thermal Buckling Analysis of SMA Fiber-Reinforced Composite Plates Using Layerwise Model — S. K. Kumar and B. N. Singh; 22 (4), 342-53 (2009).

Injuries
Orion Crew Member Injury Predictions during

Land and Water Landings — Charles Lawrence, Justin D. Littell, Edwin L. Fasanella, and Ala Tabiei; 22 (3), 214-21 (2009).

Insulation

Continuum Modeling and Discrete Element Simulations of Elastic-Quasi-Static Granular Flow in a Compressing Slot — B. T. Helenbrook, M. Powers, H. H. Shen, and P. T. Metzger; 22 (4), 415-22 (2009).

Integral equations

Analytical Solution of the Possio Integral Equation for the Sonic Case — A. V. Balakrishnan; 22 (4), 434-7 (2009).

Jets

Jet-Induced Cratering of a Granular Surface with Application to Lunar Spaceports — Philip T. Metzger, Christopher D. Immer, Carly M. Donahue, Bruce T. Vu, Robert C. Latta, and Matthew Deyo-Svendsen; 22 (1), 24-32 (2009).

Kinematics

Case Study: Planar Kinematics of Dragline for Efficient Machine Control — Samuel Frimpong and Nuray Demirel; 22 (2), 112-22 (2009).

Laminates

Semianalytical Solution of Wave-Controlled Impact on Composite Laminates — D. Zheng and W. K. Binienda; 22 (3), 318-23 (2009).

Material failures

Generalized, Three-Dimensional Definition, Description, and Derived Limits of the Triaxial Failure of Metals — Kelly S. Carney, Paul A. DuBois, Murat Buyuk, and Steve Kan; 22 (3), 280-6 (2009).

Material properties

Explicit Finite-Element Analysis of 2024-T3/T351 Aluminum Material under Impact Loading for Airplane Engine Containment and Fragment Shielding — Murat Buyuk, Steve Kan, and Matti J. Loikkanen; 22 (3), 287-95 (2009).

Comprehensive Modeling of Shape Memory Alloy Material Response Using a Multimechanism-Based Inelastic Model — Atef F. Saleeb and Abhimanyu Kumar; 22 (4), 438-44 (2009).

Material tests

Characterization of Damage in Triaxial Braided Composites under Tensile Loading — Justin D. Littell, Wieslaw K. Binienda, Gary D. Roberts, and Robert K. Goldberg; 22 (3), 270-9 (2009).

Mathematical models

Oscillation Susceptibility Analysis along the Path of the Longitudinal Flight Equilibriums in ADMIRE Model — Stefan Balint, Agneta M. Balint, and Achim Ioniță; 22 (4), 423-33 (2009).

Near-Earth Object Threat Mitigation Using a Tethered Ballast Mass — David B. French and Andre P. Mazzoleni; 22 (4), 460-5 (2009).

Matrix methods

Computational Methodology for Modeling Fracture in Fiber-Reinforced Polymer Composites — A. A. Benzerga, X. Poulain, K. A. Chowdhury, and R. Talreja; 22 (3), 296-303 (2009).

Investigation of the Influence of Pseudoinverse Matrix Calculations on Multibody Dynamics Simulations by Means of the Udwadia-Kalaba Formulation — D. de Falco, E. Pennestrì, and L. Vita; 22 (4), 365-72 (2009).

Metal

Generalized, Three-Dimensional Definition, Description, and Derived Limits of the Triaxial Failure of Metals — Kelly S. Carney, Paul A. DuBois, Murat Buyuk, and Steve Kan; 22 (3), 280-6 (2009).

Missiles

Computational Technique to Assess Warhead Lethality against Ballistic Missile — Octavio Melchor-Lucero and Cesar J. Carrasco; 22 (4), 354-64 (2009).

Model tests

Stochastic Modeling of Load-Induced Settlement in Loose Granular Materials — Philippe L. Bourdeau; 22 (1), 33-42 (2009).

Models

Comprehensive Modeling of Shape Memory Alloy Material Response Using a Multimechanism-Based Inelastic Model — Atef F. Saleeb and Abhimanyu Kumar; 22 (4), 438-44 (2009).

Moon

Lunar Dust Levitation — Joshua E. Colwell, Scott R. Robertson, Mihály Horányi, Xu Wang, Andrew Poppe, and Patrick Wheeler; 22 (1), 2-9 (2009).

Two-Dimensional Simulation of the Angle of Repose for a Particle System with Electrostatic Charge under Lunar and Earth Gravity — Shunying Ji and Hayley H. Shen; 22 (1), 10-4 (2009).

3D Shape Characterization and Image-Based DEM Simulation of the Lunar Soil Simulant FJS-1 — Takashi Matsushima, Jun Katagiri, Kentaro Uesugi, Akira Tsuchiyama, and Tsukaka Nakano; 22 (1), 15-23 (2009).

Model for Granular Materials with Surface Energy Forces — C. S. Chang and P.-Y. Hicher; 22 (1), 43-52 (2009).

NAO-1: Lunar Highland Soil Simulant Developed in China — Yongquan Li, Jianzhong Liu, and Zongyu Yue; 22 (1), 53-7 (2009).

Conceptual Design of Unpressurized Shelters on Lunar Surface — Vinay Dayal; 22 (4), 396-402 (2009).

Motion

Relative Periodic Motion of a Rigid Body Pendulum on an Ellipse — A. I. Ismail; 22 (1), 67-77 (2009).

Real-Time Optimized Trajectory Planning for a Fixed-Wing Vehicle Flying in a Dynamic Environment — Jian Yang, Zhihua Qu, Jing Wang, and Richard A. Hull; 22 (4), 331-41 (2009).

NASA

Shuttle Debris Impact Analysis: Postreturn to Flight Real-Time Mission Support — Jason L. Firko, Jeremie J. Albert, Timothy J. Lee, Alexander M. Boyer, Jonathan W. Gabrys, and Kelly S. Carney; 22 (3), 222-8 (2009).

Overview of the National Aeronautics and Space Administration Subsonic Rotary Wing Aeronautics Research Program in Rotorcraft Crashworthiness — Karen E. Jackson, Yvonne T. Fuchs, and Sotiris Kellas; 22 (3), 229-39 (2009).

Natural frequency

Assignment of Geometrical and Physical Parameters for the Confinement of Vibrations in Flexible Structures — W. Gafsi, S. Choura, and A. Nayfeh; 22 (4), 403-14 (2009).

Nonlinear analysis

Explicit Finite-Element Analysis of 2024-T3/T351 Aluminum Material under Impact Loading for Airplane Engine Containment and Fragment Shielding — Murat Buyuk, Steve Kan, and Matti J. Loikkanen; 22 (3), 287-95 (2009).

Nonlinear differential equations

Near-Earth Object Threat Mitigation Using a Tethered Ballast Mass — David B. French and Andre P. Mazzoleni; 22 (4), 460-5 (2009).

Nonlinear response

Numerical Implementation of Polymer Viscoplastic Equations for High Strain-Rate Composite Models — Pablo A. Salas, David J. Benson, Satchi Venkataraman, and Matti J. Loikkanen; 22 (3), 304-9 (2009).

Numerical analysis

Near-Earth Object Threat Mitigation Using a Tethered Ballast Mass — David B. French and Andre P. Mazzoleni; 22 (4), 460-5 (2009).

Nondetection, False Alarm, and Calibration Insensitivity in Kurtosis- and Pseudofractal-Based Singularity Detection — Vikram Pakrashi, Biswajit Basu, and Alan O'Connor; 22 (4), 466-70 (2009).

Numerical models

Case Study: Planar Kinematics of Dragline for Efficient Machine Control — Samuel Frimpong and Nuray Demirel; 22 (2), 112-22 (2009).

Membrane Micro Air Vehicles with Adaptive Aerodynamic Twist: Numerical Modeling — Bret Stanford and Peter Ifju; 22 (2), 173-84 (2009).

Optimization

Trajectory Analysis for Vertical Takeoff and Vertical Landing Reusable Launch Vehicle's Upper Stage — Yunjun Xu; 22 (1), 58-66 (2009).

Real-Time Optimized Trajectory Planning for a Fixed-Wing Vehicle Flying in a Dynamic Environment — Jian Yang, Zhihua Qu, Jing Wang, and Richard A. Hull; 22 (4), 331-41 (2009).

Orbits

New Approach to Satellite Formation-Keeping: Exact Solution to the Full Nonlinear Problem — Hancheol Cho and Adam Yu; 22 (4), 445-55 (2009).

Oscillations

Oscillation Susceptibility Analysis along the Path of the Longitudinal Flight Equilibriums in ADMIRE Model — Stefan Balint, Agneta M. Balint, and Achim Ioniță; 22 (4), 423-33 (2009).

Parameters

Relative Periodic Motion of a Rigid Body Pendulum on an Ellipse — A. I. Ismail; 22 (1), 67-77 (2009).

Model and Control of Flexible Multibody Satellite — Shunli Li; 22 (2), 134-8 (2009).

Computer Modeling for the Complex Response Analysis of Nonstandard Structural Dynamics Problems — Abhimanyu Kumar and Atef F. Saleeb; 22 (3), 324-30 (2009).

Particles

Two-Dimensional Simulation of the Angle of Repose for a Particle System with Electrostatic Charge under Lunar and Earth Gravity — Shu-

nying Ji and Hayley H. Shen; 22 (1), 10-4 (2009).

Penetration

Explicit Finite-Element Analysis of 2024-T3/T351 Aluminum Material under Impact Loading for Airplane Engine Containment and Fragment Shielding — Murat Buyuk, Steve Kan, and Matti J. Loikkanen; 22 (3), 287-95 (2009).

Piezoelectricity

Simplified Impedance Model for Adhesively Bonded Piezo-Impedance Transducers — Suresh Bhalla, Praveen Kumar, Ashok Gupta, and Tushar K. Datta; 22 (4), 373-82 (2009).

Plates

Finite-Element Analysis of Lamb Wave Propagation in a Thin Aluminum Plate — SeJin Han, Anthony N. Palazotto, and Charles L. Leakeas; 22 (2), 185-97 (2009).

Thermal Buckling Analysis of SMA Fiber-Reinforced Composite Plates Using Layerwise Model — S. K. Kumar and B. N. Singh; 22 (4), 342-53 (2009).

Polymers

Characterization of Damage in Triaxial Braided Composites under Tensile Loading — Justin D. Littell, Wieslaw K. Binienda, Gary D. Roberts, and Robert K. Goldberg; 22 (3), 270-9 (2009).

Numerical Implementation of Polymer Viscoplastic Equations for High Strain-Rate Composite Models — Pablo A. Salas, David J. Benson, Satchi Venkataraman, and Matti J. Loikkanen; 22 (3), 304-9 (2009).

Semianalytical Solution of Wave-Controlled Impact on Composite Laminates — D. Zheng and W. K. Binienda; 22 (3), 318-23 (2009).

Predictions

Orion Crew Member Injury Predictions during Land and Water Landings — Charles Lawrence, Justin D. Littell, Edwin L. Fasanella, and Ala Tabiei; 22 (3), 214-21 (2009).

Probe instruments

Simplified Impedance Model for Adhesively Bonded Piezo-Impedance Transducers — Suresh Bhalla, Praveen Kumar, Ashok Gupta, and Tushar K. Datta; 22 (4), 373-82 (2009).

Projectiles

Explicit Finite-Element Analysis of 2024-T3/T351 Aluminum Material under Impact Loading for Airplane Engine Containment and Fragment Shielding — Murat Buyuk, Steve Kan, and Matti J. Loikkanen; 22 (3), 287-95 (2009).

Computational Technique to Assess Warhead Lethality against Ballistic Missile — Octavio Melchor-Lucero and Cesar J. Carrasco; 22 (4), 354-64 (2009).

Public safety

Near-Earth Object Threat Mitigation Using a Tethered Ballast Mass — David B. French and Andre P. Mazzoleni; 22 (4), 460-5 (2009).

Radiography

3D Shape Characterization and Image-Based DEM Simulation of the Lunar Soil Simulant FJS-1 — Takashi Matsushima, Jun Katagiri, Kentaro Uesugi, Akira Tsuchiyama, and Tsukaka Nakano; 22 (1), 15-23 (2009).

Research

Overview of the National Aeronautics and Space Administration Subsonic Rotary Wing Aeronautics Research Program in Rotorcraft Crashworthiness — Karen E. Jackson, Yvonne T. Fuchs, and Sotiris Kellas; 22 (3), 229-39 (2009).

Residual stress

Finite-Element Analysis of the Influence of Edge Geometry on Shot Peening Process — Jifeng Xu and William J. Koch; 22 (2), 153-9 (2009).

Rigid-body dynamics

Relative Periodic Motion of a Rigid Body Pendulum on an Ellipse — A. I. Ismail; 22 (1), 67-77 (2009).

Robotics

Design of a Static Thruster for Microair Vehicle Rotorcraft — Paul E. I. Pounds, Robert E. Mahony, and Peter I. Corke; 22 (1), 85-94 (2009).

Safety

Autopilot for Reconfigurable Flight Control System — M. Zugaj and J. Narkiewicz; 22 (1), 78-84 (2009).

Orion Crew Member Injury Predictions during Land and Water Landings — Charles Lawrence, Justin D. Littell, Edwin L. Fasanella, and Ala Tabiei; 22 (3), 214-21 (2009).

Satellites

Optimal Layout Design of a Satellite Module Using a Coevolutionary Method with Heuristic Rules — Jun-Zhou Huo and Hong-Fei Teng; 22 (2), 101-11 (2009).

Model and Control of Flexible Multibody Satellite — Shunli Li; 22 (2), 134-8 (2009).

New Approach to Satellite Formation-Keeping: Exact Solution to the Full Nonlinear Problem — Hancheol Cho and Adam Yu; 22 (4), 445-55 (2009).

Scour

Jet-Induced Cratering of a Granular Surface with Application to Lunar Spaceports — Philip T. Metzger, Christopher D. Immer, Carly M. Donahue, Bruce T. Vu, Robert C. Latta, and Matthew Deyo-Svendsen; 22 (1), 24-32 (2009).

Settlement

Stochastic Modeling of Load-Induced Settlement in Loose Granular Materials — Philippe L. Bourdeau; 22 (1), 33-42 (2009).

Shape memory effect

Comprehensive Modeling of Shape Memory Alloy Material Response Using a Multimechanism-Based Inelastic Model — Atef F. Saleeb and Abhimanyu Kumar; 22 (4), 438-44 (2009).

Shells

Methodology for Impact Modeling of Triaxial Braided Composites Using Shell Elements — Xuetao Li, Wieslaw K. Binienda, and Justin D. Littell; 22 (3), 310-7 (2009).

Simulation

Two-Dimensional Simulation of the Angle of Repose for a Particle System with Electrostatic Charge under Lunar and Earth Gravity — Shunying Ji and Hayley H. Shen; 22 (1), 10-4 (2009).

NAO-1: Lunar Highland Soil Simulant Developed in China — Yongquan Li, Jianzhong Liu, and Zongyu Yue; 22 (1), 53-7 (2009).

Computational Technique to Assess Warhead Lethality against Ballistic Missile — Octavio Melchor-Lucero and Cesar J. Carrasco; 22 (4), 354-64 (2009).

Investigation of the Influence of Pseudoinverse Matrix Calculations on Multibody Dynamics Simulations by Means of the Udwadia-Kalaba Formulation — D. de Falco, E. Pennestrì, and L. Vita; 22 (4), 365-72 (2009).

New Approach to Satellite Formation-Keeping: Exact Solution to the Full Nonlinear Problem — Hancheol Cho and Adam Yu; 22 (4), 445-55 (2009).

Slope stability

3D Shape Characterization and Image-Based DEM Simulation of the Lunar Soil Simulant FJS-1 — Takashi Matsushima, Jun Katagiri, Kentaro Uesugi, Akira Tsuchiyama, and Tsukaka Nakano; 22 (1), 15-23 (2009).

Soil analysis

NAO-1: Lunar Highland Soil Simulant Developed in China — Yongquan Li, Jianzhong Liu, and Zongyu Yue; 22 (1), 53-7 (2009).

Soil dynamics

Jet-Induced Cratering of a Granular Surface with Application to Lunar Spaceports — Philip T. Metzger, Christopher D. Immer, Carly M. Donahue, Bruce T. Vu, Robert C. Latta, and Matthew Deyo-Svendsen; 22 (1), 24-32 (2009).

Soil erosion

Jet-Induced Cratering of a Granular Surface with Application to Lunar Spaceports — Philip T. Metzger, Christopher D. Immer, Carly M. Donahue, Bruce T. Vu, Robert C. Latta, and Matthew Deyo-Svendsen; 22 (1), 24-32 (2009).

Soil mechanics

3D Shape Characterization and Image-Based DEM Simulation of the Lunar Soil Simulant FJS-1 — Takashi Matsushima, Jun Katagiri, Kentaro Uesugi, Akira Tsuchiyama, and Tsukaka Nakano; 22 (1), 15-23 (2009).

Space exploration

Lunar Dust Levitation — Joshua E. Colwell, Scott R. Robertson, Mihály Horányi, Xu Wang, Andrew Poppe, and Patrick Wheeler; 22 (1), 2-9 (2009).

3D Shape Characterization and Image-Based DEM Simulation of the Lunar Soil Simulant FJS-1 — Takashi Matsushima, Jun Katagiri, Kentaro Uesugi, Akira Tsuchiyama, and Tsukaka Nakano; 22 (1), 15-23 (2009).

Jet-Induced Cratering of a Granular Surface with Application to Lunar Spaceports — Philip T. Metzger, Christopher D. Immer, Carly M. Donahue, Bruce T. Vu, Robert C. Latta, and Matthew Deyo-Svendsen; 22 (1), 24-32 (2009).

Multiterrain Earth Landing Systems Applicable for Manned Space Capsules — Edwin L. Fasanella; 22 (3), 201-13 (2009).

Orion Crew Member Injury Predictions during Land and Water Landings — Charles Lawrence, Justin D. Littell, Edwin L. Fasanella, and Ala Tabiei; 22 (3), 214-21 (2009).

Space shuttle orbiter

Structural Design Considerations of an Inflatable Rigidizable Space Shuttle Experiment — Raymond G. Holstein, Anthony N. Palazotto, and Richard G. Cobb; 22 (2), 123-33 (2009).

Multiterrain Earth Landing Systems Applicable for Manned Space Capsules — Edwin L. Fasanella; 22 (3), 201-13 (2009).

Shuttle Debris Impact Analysis: Postreturn to Flight Real-Time Mission Support — Jason L. Firko, Jeremie J. Albert, Timothy J. Lee, Alexander M. Boyer, Jonathan W. Gabrys, and Kelly S. Carney; 22 (3), 222-8 (2009).

Space structures

Conceptual Design of Unpressurized Shelters on Lunar Surface — Vinay Dayal; 22 (4), 396-402 (2009).

Near-Earth Object Threat Mitigation Using a Tethered Ballast Mass — David B. French and Andre P. Mazzoleni; 22 (4), 460-5 (2009).

Spacecraft

Lunar Dust Levitation — Joshua E. Colwell, Scott R. Robertson, Mihály Horányi, Xu Wang, Andrew Poppe, and Patrick Wheeler; 22 (1), 2-9 (2009).

Robust Backstepping Sliding Mode Attitude Tracking and Vibration Damping of Flexible Spacecraft with Actuator Dynamics — Qinglei Hu, Jun Cao, and Yizhuo Zhang; 22 (2), 139-52 (2009).

Rendezvous Guidance Trajectories via Multiple-Subarc Sequential Gradient-Restoration Algorithm — A. Miele, M. Ciarcià, and M. W. Weeks; 22 (2), 160-72 (2009).

Multiterrain Earth Landing Systems Applicable for Manned Space Capsules — Edwin L. Fasanella; 22 (3), 201-13 (2009).

Spacecraft launching

Jet-Induced Cratering of a Granular Surface with Application to Lunar Spaceports — Philip T. Metzger, Christopher D. Immer, Carly M. Donahue, Bruce T. Vu, Robert C. Latta, and Matthew Deyo-Svendsen; 22 (1), 24-32 (2009).

Trajectory Analysis for Vertical Takeoff and Vertical Landing Reusable Launch Vehicle's Upper Stage — Yunjun Xu; 22 (1), 58-66 (2009).

Static tests

Characterization of Damage in Triaxial Braided Composites under Tensile Loading — Justin D. Littell, Wieslaw K. Binienda, Gary D. Roberts, and Robert K. Goldberg; 22 (3), 270-9 (2009).

Statistics

Statistical Damage Constitutive Model of Quasi-Brittle Materials — Tiantang Yu; 22 (1), 95-100 (2009).

Stochastic processes

Stochastic Modeling of Load-Induced Settlement in Loose Granular Materials — Philippe L. Bourdeau; 22 (1), 33-42 (2009).

Strain rates

Development of Fabric Constitutive Behavior for Use in Modeling Engine Fan Blade-Out Events — S. Bansal, B. Mobasher, S. D. Rajan, and I. Vintilescu; 22 (3), 249-59 (2009).

Explicit Finite-Element Analysis of 2024-T3/T351 Aluminum Material under Impact Loading for Airplane Engine Containment and Fragment Shielding — Murat Buyuk, Steve Kan, and Matti J. Loikkanen; 22 (3), 287-95 (2009).

Numerical Implementation of Polymer Viscoplastic Equations for High Strain-Rate Composite Models — Pablo A. Salas, David J. Benson, Satchi Venkataraman, and Matti J. Loikkanen; 22 (3), 304-9 (2009).

Stress

Generalized, Three-Dimensional Definition, Description, and Derived Limits of the Triaxial Failure of Metals — Kelly S. Carney, Paul A. DuBois, Murat Buyuk, and Steve Kan; 22 (3), 280-6 (2009).

Stress distribution

Case Study: Planar Kinematics of Dragline for Efficient Machine Control — Samuel Frimpong and Nuray Demirel; 22 (2), 112-22 (2009).

Stress-strain relations

Model for Granular Materials with Surface Energy Forces — C. S. Chang and P.-Y. Hicher; 22 (1), 43-52 (2009).

Structural design

Structural Design Considerations of an Inflatable Rigidizable Space Shuttle Experiment — Raymond G. Holstein, Anthony N. Palazotto, and Richard G. Cobb; 22 (2), 123-33 (2009).

Structural dynamics

Computer Modeling for the Complex Response Analysis of Nonstandard Structural Dynamics Problems — Abhimanyu Kumar and Atef F. Saleeb; 22 (3), 324-30 (2009).

Structural models

Semianalytical Solution of Wave-Controlled Impact on Composite Laminates — D. Zheng and W. K. Binienda; 22 (3), 318-23 (2009).

Structural reliability

Finite-Element Analysis of Lamb Wave Propagation in a Thin Aluminum Plate — SeJin Han, Anthony N. Palazotto, and Charles L. Leakeas; 22 (2), 185-97 (2009).

Simplified Impedance Model for Adhesively Bonded Piezo-Impedance Transducers — Suresh Bhalla, Praveen Kumar, Ashok Gupta, and Tushar K. Datta; 22 (4), 373-82 (2009).

Tensile loads

Characterization of Damage in Triaxial Braided Composites under Tensile Loading — Justin D. Littell, Wieslaw K. Binienda, Gary D. Roberts, and Robert K. Goldberg; 22 (3), 270-9 (2009).

Thermal factors

Thermal Buckling Analysis of SMA Fiber-Reinforced Composite Plates Using Layerwise Model — S. K. Kumar and B. N. Singh; 22 (4), 342-53 (2009).

Uncertainty principles

Model and Control of Flexible Multibody Satellite — Shunli Li; 22 (2), 134-8 (2009).

Vehicles

Membrane Micro Air Vehicles with Adaptive Aerodynamic Twist: Numerical Modeling — Bret Stanford and Peter Ifju; 22 (2), 173-84 (2009).

Computer Modeling for the Complex Response Analysis of Nonstandard Structural Dynamics Problems — Abhimanyu Kumar and Atef F. Saleeb; 22 (3), 324-30 (2009).

Velocity

Rendezvous Guidance Trajectories via Multiple-Subarc Sequential Gradient-Restoration Algorithm — A. Miele, M. Ciarcià, and M. W. Weeks; 22 (2), 160-72 (2009).

Application of Optical Measurement Techniques to Supersonic and Hypersonic Aerospace Flows — David Estruch, Nicholas J. Lawson, and Kevin P. Garry; 22 (4), 383-95 (2009).

Vibration

Robust Backstepping Sliding Mode Attitude Tracking and Vibration Damping of Flexible Spacecraft with Actuator Dynamics — Qinglei Hu, Jun Cao, and Yizhuo Zhang; 22 (2), 139-52 (2009).

Assignment of Geometrical and Physical Parameters for the Confinement of Vibrations in Flexible Structures — W. Gafsi, S. Choura, and A. Nayfeh; 22 (4), 403-14 (2009).

Asymptotic Approach to Free Beam Vibration Analysis — G. V. Kostin and V. V. Saurin; 22 (4), 456-9 (2009).

Wave propagation

Finite-Element Analysis of Lamb Wave Propagation in a Thin Aluminum Plate — SeJin Han, Anthony N. Palazotto, and Charles L. Leakeas; 22 (2), 185-97 (2009).

X-rays

3D Shape Characterization and Image-Based DEM Simulation of the Lunar Soil Simulant FJS-1 — Takashi Matsushima, Jun Katagiri, Kentaro Uesugi, Akira Tsuchiyama, and Tsukaka Nakano; 22 (1), 15-23 (2009).

Yield stress

Finite-Element Analysis of the Influence of Edge Geometry on Shot Peening Process — Jifeng Xu and William J. Koch; 22 (2), 153-9 (2009).

Author Index

Albert, Jeremie J.
Shuttle Debris Impact Analysis: Postreturn to Flight Real-Time Mission Support — Jason L. Firko, Jeremie J. Albert, Timothy J. Lee, Alexander M. Boyer, Jonathan W. Gabrys, and Kelly S. Carney; 22 (3), 222-8 (2009).

Balakrishnan, A. V.
Analytical Solution of the Possio Integral Equation for the Sonic Case — A. V. Balakrishnan; 22 (4), 434-7 (2009).

Balint, Agneta M.
Oscillation Susceptibility Analysis along the Path of the Longitudinal Flight Equilibriums in ADMIRE Model — Stefan Balint, Agneta M. Balint, and Achim Ioniță; 22 (4), 423-33 (2009).

Balint, Stefan
Oscillation Susceptibility Analysis along the Path of the Longitudinal Flight Equilibriums in ADMIRE Model — Stefan Balint, Agneta M. Balint, and Achim Ioniță; 22 (4), 423-33 (2009).

Bansal, S.
Development of Fabric Constitutive Behavior for Use in Modeling Engine Fan Blade-Out Events — S. Bansal, B. Mobasher, S. D. Rajan, and I. Vintilescu; 22 (3), 249-59 (2009).

Basu, Biswajit
Nondetection, False Alarm, and Calibration Insensitivity in Kurtosis- and Pseudofractal-Based Singularity Detection — Vikram Pakrashi, Biswajit Basu, and Alan O'Connor; 22 (4), 466-70 (2009).

Benson, David J.
Numerical Implementation of Polymer Viscoplastic Equations for High Strain-Rate Composite Models — Pablo A. Salas, David J. Benson, Satchi Venkataraman, and Matti J. Loikkanen; 22 (3), 304-9 (2009).

Benzerga, A. A.
Computational Methodology for Modeling Fracture in Fiber-Reinforced Polymer Composites — A. A. Benzerga, X. Poulain, K. A. Chowdhury, and R. Talreja; 22 (3), 296-303 (2009).

Bhalla, Suresh
Simplified Impedance Model for Adhesively Bonded Piezo-Impedance Transducers — Suresh Bhalla, Praveen Kumar, Ashok Gupta, and Tushar K. Datta; 22 (4), 373-82 (2009).

Binienda, Wieslaw K.
Ballistic Impact and Crashworthiness Response of Aerospace Structures — Robert K. Goldberg and Wieslaw K. Binienda; 22 (3), 199-200 (2009).
Characterization of Damage in Triaxial Braided Composites under Tensile Loading — Justin D. Littell, Wieslaw K. Binienda, Gary D. Roberts, and Robert K. Goldberg; 22 (3), 270-9 (2009).
Methodology for Impact Modeling of Triaxial Braided Composites Using Shell Elements — Xuetao Li, Wieslaw K. Binienda, and Justin D. Littell; 22 (3), 310-7 (2009).
Semianalytical Solution of Wave-Controlled Impact on Composite Laminates — D. Zheng and W. K. Binienda; 22 (3), 318-23 (2009).

Bourdeau, Philippe L.
Stochastic Modeling of Load-Induced Settlement in Loose Granular Materials — Philippe L. Bourdeau; 22 (1), 33-42 (2009).

Boyer, Alexander M.
Shuttle Debris Impact Analysis: Postreturn to Flight Real-Time Mission Support — Jason L. Firko, Jeremie J. Albert, Timothy J. Lee, Alexander M. Boyer, Jonathan W. Gabrys, and Kelly S. Carney; 22 (3), 222-8 (2009).

Buyuk, Murat
Generalized, Three-Dimensional Definition, Description, and Derived Limits of the Triaxial Failure of Metals — Kelly S. Carney, Paul A. DuBois, Murat Buyuk, and Steve Kan; 22 (3), 280-6 (2009).
Explicit Finite-Element Analysis of 2024-T3/T351 Aluminum Material under Impact Loading for Airplane Engine Containment and Fragment Shielding — Murat Buyuk, Steve Kan, and Matti J. Loikkanen; 22 (3), 287-95 (2009).

Cao, Jun
Robust Backstepping Sliding Mode Attitude Tracking and Vibration Damping of Flexible Spacecraft with Actuator Dynamics — Qinglei Hu, Jun Cao, and Yizhuo Zhang; 22 (2), 139-52 (2009).

Carney, Kelly S.
Shuttle Debris Impact Analysis: Postreturn to Flight Real-Time Mission Support — Jason L. Firko, Jeremie J. Albert, Timothy J. Lee, Alexander M. Boyer, Jonathan W. Gabrys, and Kelly S. Carney; 22 (3), 222-8 (2009).
Generalized, Three-Dimensional Definition, Description, and Derived Limits of the Triaxial Failure of Metals — Kelly S. Carney, Paul A. DuBois, Murat Buyuk, and Steve Kan; 22 (3), 280-6 (2009).

Carrasco, Cesar J.
Computational Technique to Assess Warhead Lethality against Ballistic Missile — Octavio Melchor-Lucero and Cesar J. Carrasco; 22 (4), 354-64 (2009).

Chang, C. S.
Model for Granular Materials with Surface Energy Forces — C. S. Chang and P.-Y. Hicher; 22 (1), 43-52 (2009).

Cho, Hancheol
New Approach to Satellite Formation-Keeping: Exact Solution to the Full Nonlinear Problem — Hancheol Cho and Adam Yu; 22 (4), 445-55 (2009).

Choura, S.
Assignment of Geometrical and Physical Parameters for the Confinement of Vibrations in Flexible Structures — W. Gafsi, S. Choura, and A. Nayfeh; 22 (4), 403-14 (2009).

Chowdhury, K. A.
Computational Methodology for Modeling Fracture in Fiber-Reinforced Polymer Composites — A. A. Benzerga, X. Poulain, K. A. Chowdhury, and R. Talreja; 22 (3), 296-303 (2009).

Ciarcià, M.
Rendezvous Guidance Trajectories via Multiple-Subarc Sequential Gradient-Restoration Algorithm — A. Miele, M. Ciarcià, and M. W. Weeks; 22 (2), 160-72 (2009).

Cobb, Richard G.
Structural Design Considerations of an Inflatable Rigidizable Space Shuttle Experiment — Raymond G. Holstein, Anthony N. Palazotto, and Richard G. Cobb; 22 (2), 123-33 (2009).

Colwell, Joshua E.
Lunar Dust Levitation — Joshua E. Colwell, Scott R. Robertson, Mihály Horányi, Xu Wang, Andrew Poppe, and Patrick Wheeler; 22 (1), 2-9 (2009).

Corke, Peter I.
Design of a Static Thruster for Microair Vehicle Rotorcraft — Paul E. I. Pounds, Robert E. Mahony, and Peter I. Corke; 22 (1), 85-94 (2009).

Datta, Tushar K.
Simplified Impedance Model for Adhesively Bonded Piezo-Impedance Transducers — Suresh Bhalla, Praveen Kumar, Ashok Gupta, and Tushar K. Datta; 22 (4), 373-82 (2009).

Dayal, Vinay
Conceptual Design of Unpressurized Shelters on Lunar Surface — Vinay Dayal; 22 (4), 396-402 (2009).

de Falco, D.
Investigation of the Influence of Pseudoinverse Matrix Calculations on Multibody Dynamics Simulations by Means of the Udwadia-Kalaba Formulation — D. de Falco, E. Pennestrì, and L. Vita; 22 (4), 365-72 (2009).

Demirel, Nuray
Case Study: Planar Kinematics of Dragline for Efficient Machine Control — Samuel Frimpong and Nuray Demirel; 22 (2), 112-22 (2009).

Deyo-Svendsen, Matthew
Jet-Induced Cratering of a Granular Surface with Application to Lunar Spaceports — Philip T. Metzger, Christopher D. Immer, Carly M. Donahue, Bruce T. Vu, Robert C. Latta III, and Matthew Deyo-Svendsen; 22 (1), 24-32 (2009).

Donahue, Carly M.
Jet-Induced Cratering of a Granular Surface with Application to Lunar Spaceports — Philip T. Metzger, Christopher D. Immer, Carly M. Donahue, Bruce T. Vu, Robert C. Latta III, and Matthew Deyo-Svendsen; 22 (1), 24-32 (2009).

Dorbala, Sreekanth
Dynamic Loads in the Fan Containment Structure of a Turbofan Engine — Sunil K. Sinha and Sreekanth Dorbala; 22 (3), 260-9 (2009).

DuBois, Paul A.
Generalized, Three-Dimensional Definition, Description, and Derived Limits of the Triaxial Failure of Metals — Kelly S. Carney, Paul A. DuBois, Murat Buyuk, and Steve Kan; 22 (3), 280-6 (2009).
Estruch, David
Application of Optical Measurement Techniques to Supersonic and Hypersonic Aerospace Flows — David Estruch, Nicholas J. Lawson, and Kevin P. Garry; 22 (4), 383-95 (2009).
Fasanella, Edwin L.
Multiterrain Earth Landing Systems Applicable for Manned Space Capsules — Edwin L. Fasanella; 22 (3), 201-13 (2009).
Orion Crew Member Injury Predictions during Land and Water Landings — Charles Lawrence, Justin D. Littell, Edwin L. Fasanella, and Ala Tabiei; 22 (3), 214-21 (2009).
Firko, Jason L.
Shuttle Debris Impact Analysis: Postreturn to Flight Real-Time Mission Support — Jason L. Firko, Jeremie J. Albert, Timothy J. Lee, Alexander M. Boyer, Jonathan W. Gabrys, and Kelly S. Carney; 22 (3), 222-8 (2009).
French, David B.
Near-Earth Object Threat Mitigation Using a Tethered Ballast Mass — David B. French and Andre P. Mazzoleni; 22 (4), 460-5 (2009).
Frimpong, Samuel
Case Study: Planar Kinematics of Dragline for Efficient Machine Control — Samuel Frimpong and Nuray Demirel; 22 (2), 112-22 (2009).
Fuchs, Yvonne T.
Overview of the National Aeronautics and Space Administration Subsonic Rotary Wing Aeronautics Research Program in Rotorcraft Crashworthiness — Karen E. Jackson, Yvonne T. Fuchs, and Sotiris Kellas; 22 (3), 229-39 (2009).
Gabrys, Jonathan W.
Shuttle Debris Impact Analysis: Postreturn to Flight Real-Time Mission Support — Jason L. Firko, Jeremie J. Albert, Timothy J. Lee, Alexander M. Boyer, Jonathan W. Gabrys, and Kelly S. Carney; 22 (3), 222-8 (2009).
Gafsi, W.
Assignment of Geometrical and Physical Parameters for the Confinement of Vibrations in Flexible Structures — W. Gafsi, S. Choura, and A. Nayfeh; 22 (4), 403-14 (2009).
Garry, Kevin P.
Application of Optical Measurement Techniques to Supersonic and Hypersonic Aerospace Flows — David Estruch, Nicholas J. Lawson, and Kevin P. Garry; 22 (4), 383-95 (2009).
Goldberg, Robert K.
Ballistic Impact and Crashworthiness Response of Aerospace Structures — Robert K. Goldberg and Wieslaw K. Binienda; 22 (3), 199-200 (2009).
Characterization of Damage in Triaxial Braided Composites under Tensile Loading — Justin D. Littell, Wieslaw K. Binienda, Gary D. Roberts, and Robert K. Goldberg; 22 (3), 270-9 (2009).
Gupta, Ashok
Simplified Impedance Model for Adhesively Bonded Piezo-Impedance Transducers — Suresh Bhalla, Praveen Kumar, Ashok Gupta, and Tushar K. Datta; 22 (4), 373-82 (2009).
Han, SeJin
Finite-Element Analysis of Lamb Wave Propagation in a Thin Aluminum Plate — SeJin Han, Anthony N. Palazotto, and Charles L. Leakeas; 22 (2), 185-97 (2009).
Helenbrook, B. T.
Continuum Modeling and Discrete Element Simulations of Elastic-Quasi-Static Granular Flow in a Compressing Slot — B. T. Helenbrook, M. Powers, H. H. Shen, and P. T. Metzger; 22 (4), 415-22 (2009).
Hicher, P.-Y.
Model for Granular Materials with Surface Energy Forces — C. S. Chang and P.-Y. Hicher; 22 (1), 43-52 (2009).
Holstein, Raymond G.
Structural Design Considerations of an Inflatable Rigidizable Space Shuttle Experiment — Raymond G. Holstein, Anthony N. Palazotto, and Richard G. Cobb; 22 (2), 123-33 (2009).
Horányi, Mihály
Lunar Dust Levitation — Joshua E. Colwell, Scott R. Robertson, Mihály Horányi, Xu Wang, Andrew Poppe, and Patrick Wheeler; 22 (1), 2-9 (2009).
Hu, Qinglei
Robust Backstepping Sliding Mode Attitude Tracking and Vibration Damping of Flexible Spacecraft with Actuator Dynamics — Qinglei Hu, Jun Cao, and Yizhuo Zhang; 22 (2), 139-52 (2009).
Hull, Richard A.
Real-Time Optimized Trajectory Planning for a Fixed-Wing Vehicle Flying in a Dynamic Environment — Jian Yang, Zhihua Qu, Jing Wang, and Richard A. Hull; 22 (4), 331-41 (2009).
Huo, Jun-Zhou
Optimal Layout Design of a Satellite Module Using a Coevolutionary Method with Heuristic Rules — Jun-Zhou Huo and Hong-Fei Teng; 22 (2), 101-11 (2009).
Ifju, Peter
Membrane Micro Air Vehicles with Adaptive Aerodynamic Twist: Numerical Modeling — Bret Stanford and Peter Ifju; 22 (2), 173-84 (2009).
Immer, Christopher D.
Jet-Induced Cratering of a Granular Surface with Application to Lunar Spaceports — Philip T. Metzger, Christopher D. Immer, Carly M. Donahue, Bruce T. Vu, Robert C. Latta III, and Matthew Deyo-Svendsen; 22 (1), 24-32 (2009).
Ioniţă, Achim
Oscillation Susceptibility Analysis along the Path of the Longitudinal Flight Equilibriums in ADMIRE Model — Stefan Balint, Agneta M. Balint, and Achim Ioniţă; 22 (4), 423-33 (2009).
Ismail, A. I.
Relative Periodic Motion of a Rigid Body Pendulum on an Ellipse — A. I. Ismail; 22 (1), 67-77 (2009).
Jackson, Karen E.
Overview of the National Aeronautics and Space Administration Subsonic Rotary Wing Aeronautics Research Program in Rotorcraft Crashworthiness — Karen E. Jackson, Yvonne T. Fuchs, and Sotiris Kellas; 22 (3), 229-39 (2009).
Ji, Shunying
Two-Dimensional Simulation of the Angle of Repose for a Particle System with Electrostatic Charge under Lunar and Earth Gravity — Shunying Ji and Hayley H. Shen; 22 (1), 10-4 (2009).
Kan, Steve
Generalized, Three-Dimensional Definition, Description, and Derived Limits of the Triaxial Failure of Metals — Kelly S. Carney, Paul A. DuBois, Murat Buyuk, and Steve Kan; 22 (3), 280-6 (2009).
Explicit Finite-Element Analysis of 2024-T3/T351 Aluminum Material under Impact Loading for Airplane Engine Containment and Fragment Shielding — Murat Buyuk, Steve Kan, and Matti J. Loikkanen; 22 (3), 287-95 (2009).
Katagiri, Jun
3D Shape Characterization and Image-Based DEM Simulation of the Lunar Soil Simulant FJS-1 — Takashi Matsushima, Jun Katagiri, Kentaro Uesugi, Akira Tsuchiyama, and Tsukaka Nakano; 22 (1), 15-23 (2009).
Kellas, Sotiris
Overview of the National Aeronautics and Space Administration Subsonic Rotary Wing Aeronautics Research Program in Rotorcraft Crashworthiness — Karen E. Jackson, Yvonne T. Fuchs, and Sotiris Kellas; 22 (3), 229-39 (2009).
Koch, William J.
Finite-Element Analysis of the Influence of Edge Geometry on Shot Peening Process — Jifeng Xu and William J. Koch; 22 (2), 153-9 (2009).
Kostin, G. V.
Asymptotic Approach to Free Beam Vibration Analysis — G. V. Kostin and V. V. Saurin; 22 (4), 456-9 (2009).
Kumar, Abhimanyu
Computer Modeling for the Complex Response Analysis of Nonstandard Structural Dynamics Problems — Abhimanyu Kumar and Atef F. Saleeb; 22 (3), 324-30 (2009).
Comprehensive Modeling of Shape Memory Alloy Material Response Using a Multimechanism-Based Inelastic Model — Atef F. Saleeb and Abhimanyu Kumar; 22 (4), 438-44 (2009).
Kumar, Praveen
Simplified Impedance Model for Adhesively Bonded Piezo-Impedance Transducers — Suresh Bhalla, Praveen Kumar, Ashok Gupta, and Tushar K. Datta; 22 (4), 373-82 (2009).
Kumar, S. K.
Thermal Buckling Analysis of SMA Fiber-Reinforced Composite Plates Using Layerwise Model — S. K. Kumar and B. N. Singh; 22 (4), 342-53 (2009).
Latta, Robert C. III
Jet-Induced Cratering of a Granular Surface with Application to Lunar Spaceports — Philip T. Metzger, Christopher D. Immer, Carly M. Donahue, Bruce T. Vu, Robert C. Latta III, and Matthew Deyo-Svendsen; 22 (1), 24-32 (2009).
Lawrence, Charles
Orion Crew Member Injury Predictions during Land and Water Landings — Charles Lawrence, Justin D. Littell, Edwin L. Fasanella, and Ala Tabiei; 22 (3), 214-21 (2009).

Lawson, Nicholas J.
Application of Optical Measurement Techniques to Supersonic and Hypersonic Aerospace Flows — David Estruch, Nicholas J. Lawson, and Kevin P. Garry; 22 (4), 383-95 (2009).
Leakeas, Charles L.
Finite-Element Analysis of Lamb Wave Propagation in a Thin Aluminum Plate — SeJin Han, Anthony N. Palazotto, and Charles L. Leakeas; 22 (2), 185-97 (2009).
Lee, Timothy J.
Shuttle Debris Impact Analysis: Postreturn to Flight Real-Time Mission Support — Jason L. Firko, Jeremie J. Albert, Timothy J. Lee, Alexander M. Boyer, Jonathan W. Gabrys, and Kelly S. Carney; 22 (3), 222-8 (2009).
Li, Shunli
Model and Control of Flexible Multibody Satellite — Shunli Li; 22 (2), 134-8 (2009).
Li, Xuetao
Methodology for Impact Modeling of Triaxial Braided Composites Using Shell Elements — Xuetao Li, Wieslaw K. Binienda, and Justin D. Littell; 22 (3), 310-7 (2009).
Li, Yongquan
NAO-1: Lunar Highland Soil Simulant Developed in China — Yongquan Li, Jianzhong Liu, and Zongyu Yue; 22 (1), 53-7 (2009).
Littell, Justin D.
Orion Crew Member Injury Predictions during Land and Water Landings — Charles Lawrence, Justin D. Littell, Edwin L. Fasanella, and Ala Tabiei; 22 (3), 214-21 (2009).
Characterization of Damage in Triaxial Braided Composites under Tensile Loading — Justin D. Littell, Wieslaw K. Binienda, Gary D. Roberts, and Robert K. Goldberg; 22 (3), 270-9 (2009).
Methodology for Impact Modeling of Triaxial Braided Composites Using Shell Elements — Xuetao Li, Wieslaw K. Binienda, and Justin D. Littell; 22 (3), 310-7 (2009).
Liu, Jianzhong
NAO-1: Lunar Highland Soil Simulant Developed in China — Yongquan Li, Jianzhong Liu, and Zongyu Yue; 22 (1), 53-7 (2009).
Loikkanen, Matti J.
Explicit Finite-Element Analysis of 2024-T3/T351 Aluminum Material under Impact Loading for Airplane Engine Containment and Fragment Shielding — Murat Buyuk, Steve Kan, and Matti J. Loikkanen; 22 (3), 287-95 (2009).
Numerical Implementation of Polymer Viscoplastic Equations for High Strain-Rate Composite Models — Pablo A. Salas, David J. Benson, Satchi Venkataraman, and Matti J. Loikkanen; 22 (3), 304-9 (2009).
Mahony, Robert E.
Design of a Static Thruster for Microair Vehicle Rotorcraft — Paul E. I. Pounds, Robert E. Mahony, and Peter I. Corke; 22 (1), 85-94 (2009).
Matsushima, Takashi
3D Shape Characterization and Image-Based DEM Simulation of the Lunar Soil Simulant FJS-1 — Takashi Matsushima, Jun Katagiri, Kentaro Uesugi, Akira Tsuchiyama, and Tsukaka Nakano; 22 (1), 15-23 (2009).
Mazzoleni, Andre P.
Near-Earth Object Threat Mitigation Using a Tethered Ballast Mass — David B. French and Andre P. Mazzoleni; 22 (4), 460-5 (2009).
Melchor-Lucero, Octavio
Computational Technique to Assess Warhead Lethality against Ballistic Missile — Octavio Melchor-Lucero and Cesar J. Carrasco; 22 (4), 354-64 (2009).
Metzger, Philip T.
Introduction — R. Allen Wilkinson and Philip T. Metzger; 22 (1), 1 (2009).
Jet-Induced Cratering of a Granular Surface with Application to Lunar Spaceports — Philip T. Metzger, Christopher D. Immer, Carly M. Donahue, Bruce T. Vu, Robert C. Latta III, and Matthew Deyo-Svendsen; 22 (1), 24-32 (2009).
Continuum Modeling and Discrete Element Simulations of Elastic-Quasi-Static Granular Flow in a Compressing Slot — B. T. Helenbrook, M. Powers, H. H. Shen, and P. T. Metzger; 22 (4), 415-22 (2009).
Miele, A.
Rendezvous Guidance Trajectories via Multiple-Subarc Sequential Gradient-Restoration Algorithm — A. Miele, M. Ciarcià, and M. W. Weeks; 22 (2), 160-72 (2009).
Mobasher, B.
Development of Fabric Constitutive Behavior for Use in Modeling Engine Fan Blade-Out Events — S. Bansal, B. Mobasher, S. D. Rajan, and I. Vintilescu; 22 (3), 249-59 (2009).
Nakano, Tsukaka
3D Shape Characterization and Image-Based DEM Simulation of the Lunar Soil Simulant FJS-1 — Takashi Matsushima, Jun Katagiri, Kentaro Uesugi, Akira Tsuchiyama, and Tsukaka Nakano; 22 (1), 15-23 (2009).
Narkiewicz, J.
Autopilot for Reconfigurable Flight Control System — M. Zugaj and J. Narkiewicz; 22 (1), 78-84 (2009).
Nayfeh, A.
Assignment of Geometrical and Physical Parameters for the Confinement of Vibrations in Flexible Structures — W. Gafsi, S. Choura, and A. Nayfeh; 22 (4), 403-14 (2009).
O'Connor, Alan
Nondetection, False Alarm, and Calibration Insensitivity in Kurtosis- and Pseudofractal-Based Singularity Detection — Vikram Pakrashi, Biswajit Basu, and Alan O'Connor; 22 (4), 466-70 (2009).
Pakrashi, Vikram
Nondetection, False Alarm, and Calibration Insensitivity in Kurtosis- and Pseudofractal-Based Singularity Detection — Vikram Pakrashi, Biswajit Basu, and Alan O'Connor; 22 (4), 466-70 (2009).
Palazotto, Anthony N.
Structural Design Considerations of an Inflatable Rigidizable Space Shuttle Experiment — Raymond G. Holstein, Anthony N. Palazotto, and Richard G. Cobb; 22 (2), 123-33 (2009).
Finite-Element Analysis of Lamb Wave Propagation in a Thin Aluminum Plate — SeJin Han, Anthony N. Palazotto, and Charles L. Leakeas; 22 (2), 185-97 (2009).
Pennestrì, E.
Investigation of the Influence of Pseudoinverse Matrix Calculations on Multibody Dynamics Simulations by Means of the Udwadia-Kalaba Formulation — D. de Falco, E. Pennestrì, and L. Vita; 22 (4), 365-72 (2009).
Pereira, J. Michael
Ballistic Impact Response of Kevlar 49 and Zylon under Conditions Representing Jet Engine Fan Containment — J. Michael Pereira and Duane M. Revilock, Jr.; 22 (3), 240-8 (2009).
Poppe, Andrew
Lunar Dust Levitation — Joshua E. Colwell, Scott R. Robertson, Mihály Horányi, Xu Wang, Andrew Poppe, and Patrick Wheeler; 22 (1), 2-9 (2009).
Poulain, X.
Computational Methodology for Modeling Fracture in Fiber-Reinforced Polymer Composites — A. A. Benzerga, X. Poulain, K. A. Chowdhury, and R. Talreja; 22 (3), 296-303 (2009).
Pounds, Paul E. I.
Design of a Static Thruster for Microair Vehicle Rotorcraft — Paul E. I. Pounds, Robert E. Mahony, and Peter I. Corke; 22 (1), 85-94 (2009).
Powers, M.
Continuum Modeling and Discrete Element Simulations of Elastic-Quasi-Static Granular Flow in a Compressing Slot — B. T. Helenbrook, M. Powers, H. H. Shen, and P. T. Metzger; 22 (4), 415-22 (2009).
Qu, Zhihua
Real-Time Optimized Trajectory Planning for a Fixed-Wing Vehicle Flying in a Dynamic Environment — Jian Yang, Zhihua Qu, Jing Wang, and Richard A. Hull; 22 (4), 331-41 (2009).
Rajan, S. D.
Development of Fabric Constitutive Behavior for Use in Modeling Engine Fan Blade-Out Events — S. Bansal, B. Mobasher, S. D. Rajan, and I. Vintilescu; 22 (3), 249-59 (2009).
Revilock, Duane M., Jr.
Ballistic Impact Response of Kevlar 49 and Zylon under Conditions Representing Jet Engine Fan Containment — J. Michael Pereira and Duane M. Revilock, Jr.; 22 (3), 240-8 (2009).
Roberts, Gary D.
Characterization of Damage in Triaxial Braided Composites under Tensile Loading — Justin D. Littell, Wieslaw K. Binienda, Gary D. Roberts, and Robert K. Goldberg; 22 (3), 270-9 (2009).
Robertson, Scott R.
Lunar Dust Levitation — Joshua E. Colwell, Scott R. Robertson, Mihály Horányi, Xu Wang, Andrew Poppe, and Patrick Wheeler; 22 (1), 2-9 (2009).
Salas, Pablo A.
Numerical Implementation of Polymer Viscoplastic Equations for High Strain-Rate Composite Models — Pablo A. Salas, David J. Benson, Satchi Venkataraman, and Matti J. Loikkanen; 22 (3), 304-9 (2009).
Saleeb, Atef F.
Computer Modeling for the Complex Response Analysis of Nonstandard Structural Dynamics Problems — Abhimanyu Kumar and Atef F. Saleeb; 22 (3), 324-30 (2009).
Comprehensive Modeling of Shape Memory Alloy Material Response Using a Multimechanism-Based Inelastic Model — Atef F. Saleeb and Abhimanyu Kumar; 22 (4), 438-44 (2009).
Saurin, V. V.
Asymptotic Approach to Free Beam Vibration

Analysis — G. V. Kostin and V. V. Saurin; 22 (4), 456-9 (2009).

Shen, Hayley H.

Two-Dimensional Simulation of the Angle of Repose for a Particle System with Electrostatic Charge under Lunar and Earth Gravity — Shunying Ji and Hayley H. Shen; 22 (1), 10-4 (2009).

Continuum Modeling and Discrete Element Simulations of Elastic-Quasi-Static Granular Flow in a Compressing Slot — B. T. Helenbrook, M. Powers, H. H. Shen, and P. T. Metzger; 22 (4), 415-22 (2009).

Singh, B. N.

Thermal Buckling Analysis of SMA Fiber-Reinforced Composite Plates Using Layerwise Model — S. K. Kumar and B. N. Singh; 22 (4), 342-53 (2009).

Sinha, Sunil K.

Dynamic Loads in the Fan Containment Structure of a Turbofan Engine — Sunil K. Sinha and Sreekanth Dorbala; 22 (3), 260-9 (2009).

Stanford, Bret

Membrane Micro Air Vehicles with Adaptive Aerodynamic Twist: Numerical Modeling — Bret Stanford and Peter Ifju; 22 (2), 173-84 (2009).

Tabiei, Ala

Orion Crew Member Injury Predictions during Land and Water Landings — Charles Lawrence, Justin D. Littell, Edwin L. Fasanella, and Ala Tabiei; 22 (3), 214-21 (2009).

Talreja, R.

Computational Methodology for Modeling Fracture in Fiber-Reinforced Polymer Composites — A. A. Benzerga, X. Poulain, K. A. Chowdhury, and R. Talreja; 22 (3), 296-303 (2009).

Teng, Hong-Fei

Optimal Layout Design of a Satellite Module Using a Coevolutionary Method with Heuristic Rules — Jun-Zhou Huo and Hong-Fei Teng; 22 (2), 101-11 (2009).

Tsuchiyama, Akira

3D Shape Characterization and Image-Based DEM Simulation of the Lunar Soil Simulant FJS-1 — Takashi Matsushima, Jun Katagiri, Kentaro Uesugi, Akira Tsuchiyama, and Tsukaka Nakano; 22 (1), 15-23 (2009).

Uesugi, Kentaro

3D Shape Characterization and Image-Based DEM Simulation of the Lunar Soil Simulant FJS-1 — Takashi Matsushima, Jun Katagiri, Kentaro Uesugi, Akira Tsuchiyama, and Tsukaka Nakano; 22 (1), 15-23 (3009).

Venkataraman, Satchi

Numerical Implementation of Polymer Viscoplastic Equations for High Strain-Rate Composite Models — Pablo A. Salas, David J. Benson, Satchi Venkataraman, and Matti J. Loikkanen; 22 (3), 304-9 (2009).

Vintilescu, I.

Development of Fabric Constitutive Behavior for Use in Modeling Engine Fan Blade-Out Events — S. Bansal, B. Mobasher, S. D. Rajan, and I. Vintilescu; 22 (3), 249-59 (2009).

Vita, L.

Investigation of the Influence of Pseudoinverse Matrix Calculations on Multibody Dynamics Simulations by Means of the Udwadia-Kalaba Formulation — D. de Falco, E. Pennestrì, and L. Vita; 22 (4), 365-72 (2009).

Vu, Bruce T.

Jet-Induced Cratering of a Granular Surface with Application to Lunar Spaceports — Philip T. Metzger, Christopher D. Immer, Carly M. Donahue, Bruce T. Vu, Robert C. Latta III, and Matthew Deyo-Svendsen; 22 (1), 24-32 (2009).

Wang, Jing

Real-Time Optimized Trajectory Planning for a Fixed-Wing Vehicle Flying in a Dynamic Environment — Jian Yang, Zhihua Qu, Jing Wang, and Richard A. Hull; 22 (4), 331-41 (2009).

Wang, Xu

Lunar Dust Levitation — Joshua E. Colwell, Scott R. Robertson, Mihály Horányi, Xu Wang, Andrew Poppe, and Patrick Wheeler; 22 (1), 2-9 (2009).

Weeks, M. W.

Rendezvous Guidance Trajectories via Multiple-Subarc Sequential Gradient-Restoration Algorithm — A. Miele, M. Ciarcià, and M. W. Weeks; 22 (2), 160-72 (2009).

Wheeler, Patrick

Lunar Dust Levitation — Joshua E. Colwell, Scott R. Robertson, Mihály Horányi, Xu Wang, Andrew Poppe, and Patrick Wheeler; 22 (1), 2-9 (2009).

Wilkinson, R. Allen

Introduction — R. Allen Wilkinson and Philip T. Metzger; 22 (1), 1 (2009).

Xu, Jifeng

Finite-Element Analysis of the Influence of Edge Geometry on Shot Peening Process — Jifeng Xu and William J. Koch; 22 (2), 153-9 (2009).

Xu, Yunjun

Trajectory Analysis for Vertical Takeoff and Vertical Landing Reusable Launch Vehicle's Upper Stage — Yunjun Xu; 22 (1), 58-66 (2009).

Yang, Jian

Real-Time Optimized Trajectory Planning for a Fixed-Wing Vehicle Flying in a Dynamic Environment — Jian Yang, Zhihua Qu, Jing Wang, and Richard A. Hull; 22 (4), 331-41 (2009).

Yu, Adam

New Approach to Satellite Formation-Keeping: Exact Solution to the Full Nonlinear Problem — Hancheol Cho and Adam Yu; 22 (4), 445-55 (2009).

Yu, Tiantang

Statistical Damage Constitutive Model of Quasi-Brittle Materials — Tiantang Yu; 22 (1), 95-100 (2009).

Yue, Zongyu

NAO-1: Lunar Highland Soil Simulant Developed in China — Yongquan Li, Jianzhong Liu, and Zongyu Yue; 22 (1), 53-7 (2009).

Zhang, Yizhuo

Robust Backstepping Sliding Mode Attitude Tracking and Vibration Damping of Flexible Spacecraft with Actuator Dynamics — Qinglei Hu, Jun Cao, and Yizhuo Zhang; 22 (2), 139-52 (2009).

Zheng, D.

Semianalytical Solution of Wave-Controlled Impact on Composite Laminates — D. Zheng and W. K. Binienda; 22 (3), 318-23 (2009).

Zugaj, M.

Autopilot for Reconfigurable Flight Control System — M. Zugaj and J. Narkiewicz; 22 (1), 78-84 (2009).